

Assessment Data Quality Report

Table of Contents

1.	Change History	3
2.	Definition	3
3.	Report Population	3
4.	Parameters.....	4
4.1	Parameter Description.....	4
4.2	Allowable Parm combinations	4
5.	Report Distribution	5
5.1	Batch Schedule.....	5
5.2	Report Reference Data.....	5
5.3	Outputs.....	5
5.3.1	All County Report(s).....	6
5.3.2	Individual County Report(s)	6
6.	Detailed Design - Case Detail Report.....	7
6.1	Run Date	7
6.2	County/Site	7
6.3	Supervisor Name.....	7
6.4	Supervisor ID	7
6.5	Worker Name.....	7
6.6	Worker ID	7
6.7	Case Name	7
6.8	Case ID.....	8
6.9	Child Name	8
6.10	Child ID	8
6.11	Report Date	8
6.12	Investigation Start Date.....	8
6.13	Initial Face-to-Face Date.....	8
6.14	Worker Approval Date.....	8
6.15	Days Open.....	8
6.16	Birth Date	9
6.17	Gender.....	9
6.18	Race.....	9
6.19	Hispanic/Latino	9
6.20	Living Arrangement.....	9
6.21	Child Characteristics	9
6.22	Alcohol Abuse - Child	9
6.23	Drug Abuse - Child.....	10
6.24	Child Disability Status	10
6.25	HSRS Client Characteristics	10
6.26	Caretaker(s) Characteristics	10
6.27	Alcohol Abuse - Caretaker(s)	10
6.28	Drug Abuse - Caretaker(s)	10
6.29	Mental Retardation - Caretaker(s).....	10
6.30	Emotionally Disturbed - Caretaker(s)	11
6.31	Visually or Hearing Impaired - Caretaker(s)	11
6.32	Learning Disability - Caretaker(s)	11
6.33	Physically Disabled - Caretaker(s).....	11
6.34	Other Medical Condition - Caretaker(s)	11

6.35	Foster Care Services	11
6.36	Removal Date.....	12
7.	Detailed Design - Summary Report.....	13
7.1	County/Site	13
7.2	Supervisor Name.....	13
7.3	Worker Name	13
7.4	Case Name	13
7.5	Case ID.....	13
7.6	Report Date.....	13
7.7	Investigation Start Date.....	13
7.8	Initial Face-to-Face Date.....	13
7.9	Worker Approval Date.....	14
7.10	Days Open.....	14
7.11	Child Name.....	14
7.12	Child ID	14
7.13	Critical Unknown Data	14
8.	Report Examples.....	16
8.1	Case Detail Report.....	16
8.2	Summary Report.....	17
8.3	Report Key	18

1. Change History

Date	Description	Changed by
9/27/05	Initial Version	M.Spooner

2. Definition

The purpose of this report is to track specified child and caretaker characteristics being entered by the worker that are relevant toward improving data quality of initial assessments. The report will also capture all CPS reports within the query period, documenting the creation of the initial assessment and other critical data captured as part of an initial assessment. A summary document listing cases where there may be potential data quality concerns for an initial assessment will be provided for all cases where 10 days has lapsed from the date the CPS report was received. Additional case level detail will be provided in an accompanying EXCEL file for these cases and any other CPS reports identified by this data quality report

3. Report Population

Data for both the case detail and the summary report will be pulled such that:

- CPS report that has been screened in and has been linked to an open case with an open investigation.
 - CPS_REPORT.id_case is not null
 - CPS_REPORT.id_invs is not null
 - INVESTIGATION.dt_invs_cmpl is null
 - CASE.dt_case_cls is null
 - CASE.cd_case_stat in ('O','R')
 - CPS_REPORT.cd_spvr_stat = 'I'
 - INVESTIGATION.ts_invs_bgn < system date - 10 (days)
- CPS report has been screened in for at least 10 days and has been linked to a case but not to an open investigation.
 - CPS_REPORT.id_case is not null
 - CPS_REPORT.id_invs is null
 - CASE.dt_case_cls is null
 - CASE.cd_case_stat in ('O','R')
 - CPS_REPORT.cd_spvr_stat = 'I'
 - CPS_REPORT.TS_CPS_RCVD < System date - 10 (days)
- Only bring in those intake participants that have been designated as an alleged victim
 - CASE_PART.ID_PRSN = ALLEGATION.ID_PRSN_VCTM

4. Parameters

4.1 Parameter Description

- 1) Jobname
- 2) County (scheduled runs = “ALL”)
- 3) Run Type

Parameter	Columns	Length	Notes
Jobname	1 – 7	7	SM06a06
Filler	8	1	“*”
County	9-11	3	To run all counties – “ALL” To run a specific county – provide county number – “040”
Filler	12	1	“*”
Run Type	13	1	R = Regular run O = On Demand run

4.2 Allowable Parm combinations

Type	County	Outputs
R	ALL	All County and individual county outputs for each of the 72 Counties and the “State” (cd_ctny = 76) County distributed to eWReports.
O	ALL	All County and individual county outputs for each of the 72 Counties and the “State” (cd_ctny = 76) distributed to on-demand report requestor.
O	{county #}	Individual county output distributed to on-demand report requestor.

5. Report Distribution

5.1 Batch Schedule

Scheduled and On-Demand.

Batch Cycle	Parm Values
Monthly	SM06a06*ALL*O

5.2 Report Reference Data

Field	Values	Values
id_resource		
tx_name	Initial Assessment Data Quality Report - Case Detail	Initial Assessment Data Quality Report - Summary
tx_description	Provides case detail on child and caretaker characteristics from person management and assessment.	Provides case summary on child and characteristics from person management and assessment that have been flagged as 'unknown' or 'missing.'
tx_short_name	SM06a06-a	SM06a06-b
qt_display	6	6
cd_county	99	99
fl_restricted	N	N
fl_on_demand	Y	Y
cd_frequency	M	M
cd_topic	39 (Assessment)	39 (Assessment)

cd_topic comes from: (select * from code_desc where id_grp = 'WRTOPICS')

5.3 Outputs

The following outputs will be used for this report. A description is provided below:

Program Execution Sequence					
Seq	Program Name	Parameters	Dependency	Output	Distribute
1	r-sm06a06-assess-data-quality	sm06a06-r-parm	None	sm06a06-r-datetimestamp.log	N
				sm06a06-a-assess-data-quality-detail-All-Counties.csv	Y
				sm06a06-a-assess-data-quality-detail-{county}.csv	Y
				sm06a06-b-assess-data-quality-smry-{county}.doc	Y

5.3.1 All County Report(s)

All County reports are created for regular (scheduled) runs of the report as well as for On-Demand runs when "All" or "000" is designated in the County parameter.

5.3.1.1 *Summary*

A summary report will not be available for the All County file.

5.3.1.2 *Detail*

An All County version of the case detail report in excel format which displays data for all counties in one report.

5.3.2 Individual County Report(s)

Individual county reports are created for regular (scheduled) runs of the report as well as On Demand requests when a county code is designated in the county parameter.

5.3.2.1 *Summary*

A county version of the summary reports (MS Word Document) showing the those report data elements flagged as 'missing' or 'unknown' for each child. These reports will be broken out by supervisor, worker, then listed alphabetically by case and child for case.

5.3.2.2 *Detail*

A county version of the detail report in excel format showing the data elements for the county.

6. Detailed Design - Case Detail Report

This report provides detailed case information relating to NCANDS elements. The following list reflects the output columns required for this report.

6.1 Run Date

Database Column: N/A - System date of the report run

Retrieval: N/A

6.2 County/Site

Database Column: CODE_DESC_FNCL.TX_FDESC_LRG

Retrieval: Use TX_FDESC_LRG from CODE_DESC_FNCL reference table, where ID_FNCL_GRP = 'LLORGCD' and ID_FNCL_GRPI = (CD_DEPT_UNIT)

6.3 Supervisor Name

Database Column: PERSON.NM_LST, PERSON.NM_FRST

Retrieval: First pull the ID_PRSN_SPVR from the WORKER reference table based on the ID_PRSN of the primary worker.

Then pull NM_LST, NM_FRST from the PERSON reference table where PERSON.ID_PRSN = WORKER.ID_PRSN_SPVR

6.4 Supervisor ID

Database Column: WORKER.ID_PRSN_SPVR

Retrieval: First pull the worker name and worker ID. Then based on this information fetch the ID_PRSN_SPVR based on the ID_PRSN of the worker.

6.5 Worker Name

Database Column: PERSON.NM_LST, PERSON.NM_FRST

Retrieval: Use NM_LST, NM_FRST from PERSON reference table where
ASSIGNMENT.ID_GRP_LVL1 = CASE.ID_CASE and
ASSIGNMENT.ID_PRSN = PERSON.ID_PRSN and
ASSIGNMENT.CD_ASGN_CTGRY = 1 and
ASSIGNMENT.CD_ASGN_GRP = 1 and
ASSIGNMENT.FL_OPEN = 'Y'

6.6 Worker ID

Database Column: ASSIGNMENT.ID_PRSN

Retrieval: Use ID_PRSN from ASSIGNMENT reference table where ID_CASE = PF_CASE_PRIMARY()

6.7 Case Name

Database Column: CASE.NM_CASE_LST, NM_CASE_FRST

Retrieval: Use NM_CASE_LST, NM_CASE_FRST from the CASE reference table where CPS_REPORT.ID_CASE = CASE_ID.CASE

6.8 Case ID

Database Column: CPS_REPORT.ID_CASE

Retrieval: Use ID_CASE from the CPS_REPORT reference table

6.9 Child Name

Database Column: PERSON.NM_LST, NM_FRST

Retrieval: Pull NM_LST, NM_FRST from PERSON reference table where ALLEGATION.ID_PRSN_VCTM = PERSON.ID_PRSN.

6.10 Child ID

Database Column: ALLEGATION.ID_PRSN_VCTM

Retrieval: Where ALLEGATION.ID_PRSN_VCTM = PERSON.ID_PRSN

6.11 Report Date

Database Column: CPS_REPORT.DT_RFRD

Retrieval: Where CPS_REPORT.ID_CASE = CASE_ID.CASE.
The Report Date field should be in the "mddyy" format.

6.12 Investigation Start Date

Database Column: INVESTIGATION.TS_INVS_BGN

Retrieval: Where CPS_REPORT.ID_CASE = CASE_ID.CASE

6.13 Initial Face-to-Face Date

Database Column: CAN_TEXT_EVENT.DT_OCRD

Retrieval: Where CPS_REPORT.ID_CASE = CASE_ID.CASE.

Take the (min)DT_OCRD (must be >= than
(max)INVESTIGATION.TS_INVS_BGN) for that type note for the Case Note
combination of CD_Category = 2 and Type = 65

6.14 Worker Approval Date

Database Column: APPROVAL.TS_CR

Retrieval: APPROVAL.ID_PRSN should match ASSIGNMENT.ID_PRSN of primary worker.

Use (max) TS_CR from APPROVAL reference table where CD_STAT = 'P' and
CD_ACTN = 'A' and CD_WRK_TYPE = 10.

6.15 Days Open

Database Column: N/A

Retrieval: Calculate in days (Query) End Date minus CPS_REPORT.TS_CPS_RCVD.

6.16 Birth Date

Database Column: PERSON.DT_BRTH

Retrieval: Use PERSON.ID_PRSN = ALLEGATION.ID_PRSN_VCTM

6.17 Gender

Database column: CODE_DESC_STATIC.TX_SDESC_LRG

Retrieval: To pull TX_SDESC_LRG use ID_SDESC_GRP where ID_SDESC_GRP = 'PRSNGNDR'
ID_SDESC_GRPI = PERSON.CD_GNDR (F = Female, M = Male, U = Unknown)
If null display 'blank'
PERSON.ID_PRSN = EPISODE.ID_PRSN

6.18 Race

Database column: CODE_DESC.TX_DESC_LRG

Retrieval: To pull TX_DESC_LRG from the CODE_DESC reference table use ID_GRP = 'PRSNRACE'
ID_GRPI = PERSON.CD_RACE (1 = White, 2 = Black/African American, 4 = Asian, 5 = American Indian/Alaska Native, 6 = Unable to Determine, 7 = Native Hawaiian/Other Pacific Islander) If null display 'blank'
PERSON.ID_PRSN = EPISODE.ID_PRSN

6.19 Hispanic/Latino

Database column: CODE_DESC_STATIC.TX_SDESC_LRG

Retrieval: To pull TX_SDESC_LRG from the CODE_DESC_STATIC reference table use
ID_SDESC_GRP = 'PRSNTRNS' ID_SDESC_GRPI = PERSON.CD_HSPNC (N = No, U = Undetermined, Y = Yes) If null display 'blank'
PERSON.ID_PRSN = EPISODE.ID_PRSN

6.20 Living Arrangement

Database Column: CODE_DESC_LRG.TX_LDESC_LRG

Retrieval: First find INVESTIGATION.CD_LIVING_ARRANGEMENT to get the number code.
Then look up code on CODE_DESC_LRG where ID_GRP = 'CHDLVNG'

6.21 Child Characteristics

Database Column: N/A

Retrieval: If any of the following fields are null mark this column 'Y.' If all are not null then mark this column 'N.'
Alcohol Abuse - Child, Drug Abuse - Child, Child Disability Status, Client Characteristics

6.22 Alcohol Abuse - Child

Database Column: MENTAL_HEALTH_PROFILE.FL_ALCOHOL

Retrieval: Use MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.

6.23 Drug Abuse - Child

Database Column: MENTAL_HEALTH_PROFILE.FL_MARIJUANA or FL_DRUGS or FL_SOLVENTS

Retrieval: Use MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM. Mark 'Y' if any of the above three fields are selected.

6.24 Child Disability Status

Database Column: PERSON.FL_CLNC_DGNSD

Retrieval: Use PERSON.ID_PRSN = ALLEGATION.ID_PRSN_VCTM. Y - Yes, N - No, U - Not Yet Determined, A - blank

6.25 HSRS Client Characteristics

Database Column: CODE_DESC.TX_DESC_LRG

Retrieval: Use PERSON.ID_PRSN = ALLEGATION.ID_PRSN_VCTM. Pull from TX_DESC_LRG where ID_GRP = 'HSRSCHAR' and ID_GRPI = PERSON.CD_HSRS_CLIENT_CHAR1

6.26 Caretaker(s) Characteristics

Database Column: N/A

Retrieval: If any of the following fields are null mark this column 'Y.' If all are not null then mark this column 'N.'
Alcohol Abuse, Drug Abuse, Mental Retardation, Emotionally Disturbed, Visually or Hearing Impaired, Learning Disabled, Physically Disabled, Other Medical

6.27 Alcohol Abuse - Caretaker(s)

Database Column: MENTAL_HEALTH_PROFILE.CD_NCAND_ALCOHOL

Retrieval: MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.
Use text field description. 1 = Y; 2 = N; 9 = unknown. If no code number then display as blank.

6.28 Drug Abuse - Caretaker(s)

Database Column: MENTAL_HEALTH_PROFILE.CD_NCAND_DRUG

Retrieval: MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.
Use text field description. 1 = Y; 2 = N; 9 = unknown. If no code number then display as blank.

6.29 Mental Retardation - Caretaker(s)

Database Column: MENTAL_HEALTH_PROFILE.CD_NCAND_MENTAL_RETARDATION

Retrieval: MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.
Use text field description. 1 = Y; 2 = N; 9 = unknown. If no code number then
display as blank.

6.30 Emotionally Disturbed - Caretaker(s)

Database Column: MENTAL_HEALTH_PROFILE.CD_NCAND_EMTNLY_DSTRB

Retrieval: MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.
Use text field description. 1 = Y; 2 = N; 9 = unknown. If no code number then
display as blank.

6.31 Visually or Hearing Impaired - Caretaker(s)

Database Column: MENTAL_HEALTH_PROFILE.CD_NCAND_IMPRD

Retrieval: MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.
Use text field description. 1 = Y; 2 = N; 9 = unknown. If no code number then
display as blank.

6.32 Learning Disability - Caretaker(s)

Database Column: MENTAL_HEALTH_PROFILE.CD_NCAND_LD

Retrieval: MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.
Use text field description. 1 = Y; 2 = N; 9 = unknown. If no code number then
display as blank.

6.33 Physically Disabled - Caretaker(s)

Database Column: MENTAL_HEALTH_PROFILE.CD_NCAND_PHYS_DSBLD

Retrieval: MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.
Use text field description. 1 = Y; 2 = N; 9 = unknown. If no code number then
display as blank.

6.34 Other Medical Condition - Caretaker(s)

Database Column: MENTAL_HEALTH_PROFILE.CD_NCAND_OTHR

Retrieval: MENTAL_HEALTH_PROFILE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM.
Use text field description. 1 = Y; 2 = N; 9 = unknown. If no code number then
display as blank.

6.35 Foster Care Services

Database Column: EPISODE.DT_END

Retrieval: Use EPISODE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM
Additionally, the placement setting values refine the placement to Foster Care
settings as follows: the EPISODE.CD_PLCN_SETNG must be equal the following
to be true – CODE_DESC Code Values are as follows: 1, 12, 14, 15, 16, 17, 18, 20,
22, 34, 40, 41, 42, 43

In the event that there are multiple placements within the reporting period, the latest
will be used (max dt_bgn).

If there is not a new or current placement meeting the criteria listed above then populate the value with a No.

6.36 Removal Date

Database Column: EPISODE.(MAX)DT_BGN

Retrieval: Use EPISODE.ID_PRSN = ALLEGATION.ID_PRSN_VCTM

7. Detailed Design - Summary Report

The summary report provides elements from the case detail report that have been marked as unknown or are missing data. The following list reflects the data fields required for this report.

7.1 County/Site

Database Column: CODE_DESC_FNCL.TX_FDESC_LRG
Retrieval: Pull using same logic from case detail report.

7.2 Supervisor Name

Database Column: PERSON.NM_LST, PERSON.NM_FRST
Retrieval: Pull using same logic from case detail report. Start a new page when there is a new supervisor within the county.

7.3 Worker Name

Database Column: PERSON.NM_LST, PERSON.NM_FRST
Retrieval: Pull using same logic from case detail report. Start a new page when there is a new worker within the county.

7.4 Case Name

Database Column: CASE.NM_CASE_LST, NM_CASE_FRST
Retrieval: Pull using same logic from case detail report. Only display case name once per child.

7.5 Case ID

Database Column: CPS_REPORT.ID_CASE
Retrieval: Pull using same logic from case detail report. Only display case ID once per child.

7.6 Report Date

Database Column: CPS_REPORT.DT_RFRD
Retrieval: Pull using same logic from case detail report.

7.7 Investigation Start Date

Database Column: INVESTIGATION.TS_INVS_BGN
Retrieval: Pull using same logic from case detail report.

7.8 Initial Face-to-Face Date

Database Column: CAN_TEXT_EVENT.DT_OCRD
Retrieval: Pull using same logic from case detail report.

7.9 Worker Approval Date

Database Column: APPROVAL.TS_CR
 Retrieval: Pull using same logic from case detail report.

7.10 Days Open

Database Column: N/A
 Retrieval: Pull using same logic from case detail report.

7.11 Child Name

Database Column: PERSON.NM_LST, NM_FRST
 Retrieval: Pull using same logic from case detail report. Only display case name once.

7.12 Child ID

Database Column: ALLEGATION.ID_PRSN_VCTM
 Retrieval: Pull using same logic from case detail report. Only display case ID once.

7.13 Critical Unknown Data

Database Column: N/A
 Retrieval: If any of the data columns in the case detail report are marked as either null or unknown, display the field name in this column. Note the following exceptions:

Exception	Display
If SYS_DATE - PERSON.DT_BRTH > 18 years	Age Discrepancy - child age > 18
If SYS_DATE - PERSON.DT_BRTH < 0 years	Age Discrepancy - child age < 0
If no INVESTIGATION.TS_CR exists	No Assessment Created
If no first attempted or actual Initial Face-to-Face contact for the CPS Initial Assessment (dt_ocrd where cd_ctgry_type = 65 and cd_ctgry = 2) that occurred after the Date PS Report Received (DT_RFRD). To Count as an attempted/actual contact, the Face Contact Type must not be "Not Applicable" (CD_FACE_TYPE <> 5). Set to null if not found.	No Initial Contact Documented
If approval for CD_WRK_TYPE = 10 is set to CD_STAT = 'I' and CD_ACTN = 'I' (or no approval row exists) AND INVESTIGATION.TS_INVS_BGN > 60 days	Worker Approval Pending > 60 days
If (MAX) APPROVAL.TS_CR where CD_STAT = 'P' and CD_ACTN = 'A' and CD_WRK_TYPE = 10 > INVESTIGATION.TS_INVS_BGN + 60 Note: An APPROVAL row where (max) TS_CR [such that CD_STAT = 'A' and CD_ACTN = 'A'] > max(TS_CR) [such that CD_STAT = 'P' and CD_ACTN = 'A' and CD_WRK_TYPE = 10] cannot exist.	Supervisor Approval Pending > 60 days

Exception	Display
If any of the following Child Characteristics are null: – Alcohol Abuse - Child – Drug Abuse - Child – Child Disability Status – HSRS Client Characteristics	Child Characteristics
If any of the following Caretaker Characteristics are null: – Alcohol Abuse – Drug Abuse – Mental Retardation – Emotionally Disturbed – Impaired – Learning Disabled – Physically Disabled – Other Medical	Caretaker Characteristics

8. Report Examples

8.1 Case Detail Report

The following displays the output data columns that will be present in the case detail excel file report.

Run Date	Query Start Date	Query End Date	County/Site	Supervisor Name	Supervisor ID	Worker Name	Worker ID	Case Name	Case ID	Child Name
MMDDYYYY	MMDDYYYY	MMDDYYYY	Dane	Last, First	12345	Last, First	12345	Last, First	12345	Last, First

Child ID	Report Date	Investigation Start Date	Initial Face to Face Date	Worker Approval Date	Days Open	Birth Date	Gender	Race	Ethnicity	Living Arrangement	Child Characteristics
12345	MMDDYYYY	MMDDYYYY	MMDDYYYY	MMDDYYYY	25	MMDDYYYY	Male	White	Mexican	Unknown	N

Alcohol Abuse - Child	Drug Abuse - Child	Child Disability Status	HSRS Client Characteristics	Caretaker(s) Characteristics	Alcohol Abuse - Caretaker(s)	Drug Abuse - Caretaker(s)	Mental Retardation - Caretaker(s)	Emotionally Disturbed - Caretaker(s)	Visually or Hearing Impaired - Caretaker(s)	Learning Disability - Caretaker(s)
N	Y	Y	Alcohol Client	N	Y	Y	N	U	U	U

Physically Disabled - Caretaker(s)	Other Medical Condition - Caretaker(s)	Foster Care Services	Removal Date
N	U	Y	MMDDYYYY

Note: This is just an example of how data pre-fills in the data column. The actual data is fictitious.

8.2 Summary Report

DATE: 09/10/2005
 Time: 10:41 AM
 County/Site: Milwaukee - Site 1

Wisconsin Dept. of Health and Family Services
 Division of Children and Family Services
 Initial Assessment Data Quality

Report ID: IN0305
 Page: 1

Supervisor: MOORE, JENNIFER
 Worker: SPOONER, MIA

Case Name	Case ID	Report Date	Invs Start Date	Initial Contact Date	Worker Approval Date	Days Open	Child Name	Child ID	Critical Unknown Data
Purple, Mom	500000	08/01/05	08/03/05			25	Purple, Boy	10000	No Assessment Created No Initial Contact Documented Age Discrepancy - child age > 18 Ethnicity
							Purple, Girl	10001	No Assessment Created No Initial Contact Documented Birth Date Gender Child Characteristics

8.3 Report Key

The last page of each summary report will contain a “Report Key”. This report key will provide a definition of the columns.

Report Column	Report Column Definition
Case Name	The name of the case in which critical data elements are either missing or in discrepancy.
Case ID	The unique eWISACWIS number of the case in which critical data elements are either missing or in discrepancy.
CPS Report Date	The month, day, and year that the responsible agency was notified of the suspected child maltreatment.
Invs Start Date	The start date of the action of gathering information to determine if a child has been or is at risk maltreatment. Generally includes face-to-face contact with the victim and results in the disposition as to whether the alleged report is substantiated.
Initial Face-to-Face-Contact	The date documented in the Case Notes where the Case Note linked to the CPS Initial Assessment has the following attributes: 1) Category: Assessment Contact 2) Type: Initial Face-to-Face Contact 3) Face-to-Face Type: Any value except “Not Applicable” 4) Face-to-Face Result: Any value
Worker Approval Date	The date that worker sent the investigation for supervisory approval.
Days Open	The elapsed time, in days, between the query date and cps report date.
Child Name	The name of the child in which critical data elements are either missing, unknown, or in discrepancy.
Child ID	The unique eWISACWIS number of the child in which critical data elements are either missing, unknown, or in discrepancy.
Critical Unknown Data	The critical data elements that are either missing, unknown, or in discrepancy for each child associated with a case. The following are defined as critical unknown elements: <ul style="list-style-type: none"> - No Assessment Created: Indicates there is a CPS report linked to the case that has not been linked to an assessment. - No Initial Contact Documentd: Indicates there is an open assessment with no initial face-to-face contact documented. - Age Discrepancy - child age > 18: Indicates the child age documented is greater than 18 years of age and an update to the Birth Date on the Person record is needed. - Age Discrepancy - child age < 0: Indicates the child age documented is less than 0 years of age and an update to the Birth Date on the Person record is needed.

Report Column	Report Column Definition
	<ul style="list-style-type: none">- Worker Approval Pending > 60 days: Indicates the assessment has been open for more than 60 days without a worker approval.- Supervisor Approval Pending > 60 days: Indicates the assessment has been open for more than 60 days without a supervisor approval.- Child Characteristics: Indicates there is no documentation of the following as pertains to the child:<ul style="list-style-type: none">o Alcohol and Drug Abuse - documented on the child's Mental Health Profileo HSRS Client Characteristics - documented on the Additional tab in the Reporting Information group box on the child's Person recordo Child Disability Status - documented on the Kinship/AFCARS tab in the Child's Disability Information group box on the child's Person record- Caretaker Characteristics: Indicates there is no documentation of the following as pertains to the caretaker(s):<ul style="list-style-type: none">o Alcohol Abuse, Drug Abuse, Mental Retardation, Emotionally Disturbed, Visually or Hearing Impaired, Learning Disabled, Physically Disabled, and Other Medical - documented on the child's Mental Health Profile